

# SAFETY DATA SHEET

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Issue Date 20-Jan-2005 Revision Date 28-Oct-2024 Version 6.5

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product Code(s) LCK114

Product Name LCK114 CSB/COD/DCO, Sample cuvette

Unique Formula Identifier (UFI) QR0A-1FV5-X80X-MANR

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Water Analysis. Determination of Chemical Oxygen Demand.

Uses advised against

### 1.3. Details of the supplier of the safety data sheet

### **Supplier**

HACH LANGE GmbH Willstätterstr. 11 D-40549 Düsseldorf Tel: +49 (0)211 5288-383 sds@hach.com

Responsible country contact:

HACH UK Laser House Ground Floor, Suite B Waterfront Quay, Salford Quays GB - Manchester, M50 3XW Tel. +44 (0) 161 872 1487 info-uk@hach.com

HACH Ireland Unit 34 GB Business Park Little Island IRL-Co. Cork T45 H681 Tel. +353 (0)146 02 522 info-ie@hach.com

# 1.4. Emergency telephone number

UK: Chemtrec: +44 20 3807 3798

IE: National Poisons Information Centre (NPIC) 01 809 2566 (24/7)

# **Section 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

BE / AGHS Page 1 / 19

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals	Category 1 - (H290)
Acute toxicity - Oral	Category 4 - (H302)
Acute toxicity - Dermal	Category 3 - (H311)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Skin corrosion/irritation	Category 1 Sub-category A - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Germ cell mutagenicity	Category 1B - (H340)
Carcinogenicity	Category 1B - (H350)
Reproductive toxicity	Category 1B - (H360)
Specific target organ toxicity (repeated exposure)	Category 2 - (H373)
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)

### 2.2. Label elements

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Contains Mercury sulphate, Potassium dichromate, Sulfuric acid, disilver(1+) salt, Sulfuric acid 90%



### Signal word

Danger

# Hazard statements

H290 - May be corrosive to metals

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H332 - Harmful if inhaled

H340 - May cause genetic defects

H350 - May cause cancer

H360FD - May damage fertility. May damage the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

EUH208 - Contains Potassium dichromate May produce an allergic reaction.

# **Precautionary statements**

P201 - Obtain special instructions before use

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P391 - Collect spillage

### Special labelling of certain mixtures

Restricted to professional users

BE / AGHS Page 2 / 19

### 2.3. Other hazards

No information available.

### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT)

This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

# **Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors.

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substances

Not applicable

# 3.2 Mixtures

Chemical name	CAS No. EC No. Index No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Sulfuric acid	7664-93-9 231-639-5 016-020-00-8	80 - 90%	Skin Corr. 1A - H314 Eye Dam. 1 - H318	Eye Irrit. 2 :H319: 5%<=C<15% Skin Corr. 1A :H314: C>=15% Skin Irrit. 2 :H315: 5%<=C<15%	-	-
Mercury sulphate	7783-35-9 231-992-5 080-002-00-6	1 - 5%	Acute Tox. 2 - H300 Acute Tox. 1 - H310 Acute Tox. 2 - H330 STOT RE 2 - H373 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	STOT RE 2 :H373: C>=0.1%	-	-
Sulfuric acid, disilver(1+) salt	233-653-7 -	<1%	Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		100	100
Potassium dichromate	7778-50-9 231-906-6 024-002-00-6	<1%	Ox. Sol. 2 - H272 Acute Tox. 3 - H301 Acute Tox. 4 - H312 Skin Corr. 1B - H314	STOT SE 3 :H335: C>=5%	10	10

BE / AGHS Page 3 / 19

Chemical name	CAS No. EC No. Index No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
			Skin Sens. 1 -			
			H317			
			Acute Tox. 2 -			
			H330			
			Resp. Sens. 1 -			
			H334			
			Muta. 1B - H340			
			Carc. 1B - H350			
			Repr. 1B -			
			H360FD			
			STOT RE 1 -			
			H372			
			Aquatic Acute 1 -			
			H400			
			Aquatic Chronic 1			
			- H410			

Chemical name	REACH registration number
Sulfuric acid	01-2119458838-20-xxxx
Potassium dichromate	01-2119454792-32

### Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate No information available

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4 hour - dust/mist - mg/L		Inhalation LC50 - 4 hour - gas - ppm
Sulfuric acid, disilver(1+) salt 10294-26-5	> 5000 mg/kg	None reported	None reported	None reported	None reported
Potassium dichromate 7778-50-9	90.5 mg/kg	1170 mg/kg	0.094 mg/L	None reported	None reported

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	CAS No.	SVHC candidates
Potassium dichromate	7778-50-9	X

# **Section 4: FIRST AID MEASURES**

### 4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

**Inhalation** Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way

BE / AGHS Page 4 / 19

valve or other proper respiratory medical device. If breathing is difficult, (trained personnel

should) give oxygen. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open

while rinsing. Do not rub affected area. Get immediate medical attention.

**Skin contact**Get immediate medical attention. Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Get immediate medical attention.

**Self-protection of the first aider** Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use

barrier to give mouth-to-mouth resuscitation.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

# **Section 5: FIREFIGHTING MEASURES**

5.1. Extinguishing media

surrounding environment.

**Unsuitable extinguishing media** No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapours. Do not flush into surface water or

sanitary sewer system.

**Hazardous combustion products** Sulphur oxides. May vaporize to form Mercury vapor.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

Additional information Fire residues and contaminated fire extinguishing water must be disposed of in accordance

with local regulations.

# Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Attention! Corrosive

material. Keep people away from and upwind of spill/leak.

BE / AGHS Page 5 / 19

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Should not be released into the

environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

# **Section 7: HANDLING AND STORAGE**

### 7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Avoid breathing dust/fume/gas/mist/vapours/spray. Take off contaminated clothing and wash it before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Remove

contaminated clothing and shoes.

**General hygiene considerations** Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Take off all contaminated clothing and wash it before reuse. Barrier creams may

help to protect the exposed areas of skin.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Protect from light. Keep out of the reach of children. Store away from other

materials. Store locked up. Accessible only for authorized persons.

7.3. Specific end use(s)

Specific use(s) Analytical reagent.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

# **Exposure Limits**

Chemical name	European Union	United Kingdom	Ireland
Sulfuric acid	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.05 ppm

BE / AGHS Page 6 / 19

7664-93-9		STEL: 0.15 mg/m <sup>3</sup>	STEL: 0.15 ppm
Mercury sulphate	TWA: 0.02 mg/m <sup>3</sup>	TWA: 0.02 mg/m <sup>3</sup>	TWA: 0.02 mg/m <sup>3</sup>
7783-35-9		STEL: 0.06 mg/m <sup>3</sup>	STEL: 0.06 mg/m <sup>3</sup>
Sulfuric acid, disilver(1+) salt	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>
10294-26-5	-	STEL: 0.03 mg/m <sup>3</sup>	STEL: 0.03 mg/m <sup>3</sup>
Potassium dichromate	TWA: 0.005 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>	TWA: 0.005 mg/m <sup>3</sup>
7778-50-9	TWA: 0.010 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.01 mg/m <sup>3</sup>
	TWA: 0.025 mg/m <sup>3</sup>	STEL: 0.03 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>
		STEL: 0.065 mg/m <sup>3</sup>	STEL: 0.15 mg/m <sup>3</sup>
		Sen+	STEL: 0.03 mg/m <sup>3</sup>
			STEL: 0.075 mg/m <sup>3</sup>

Chemical name	European Union	United Kingdom	Ireland
Potassium dichromate	-	-	25 μg/L (urine - total
7778-50-9			Chromium end of shift at end
			of workweek)
			10 μg/L (urine - total
			Chromium increase during
			shift)

Derived No Effect Level (DNEL) - Workers No information available

Predicted No Effect Concentration (PNEC) No information available.

### 8.2. Exposure controls

Hand protection

**Engineering controls**Technical measures and appropriate working operations should be given priority over the

use of personal protective equipment. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific

workplace.

Personal protective equipment Eye/face protection

Wear safety glasses with side shields (or goggles).

Wear suitable gloves. Gloves must be inspected prior to use. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425 and the standard EN 374-1:2016 derived from it. Chemical resistant gloves made of butyl rubber or nitrile rubber category III acco. Barrier creams may help to protect the exposed areas of skin. Appropriate hand protection should be selected and used according to the chemical nature, hazards and use

of this product and safety requirements of the local jurisdiction.

Gloves						
Duration of contact	PPE - Glove material	Glove thickness	Break through time			
Long term (repeated)	Wear protective Viton™ gloves	0,70 mm	>480 minutes			
Short term	Wear protective nitrile rubber gloves	0,20 mm	>30 minutes			

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing.

**Respiratory protection**Ensure adequate ventilation. No protective equipment is needed under normal use

conditions. If exposure limits are exceeded or irritation is experienced, ventilation and

evacuation may be required. Wear breathing apparatus if exposed to

vapours/dusts/aerosols.

Recommended filter type: ABEK-P3.

**General hygiene considerations** Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Regular cleaning of equipment, work area and clothing is recommended. Avoid

BE / AGHS Page 7 / 19

contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Take off all contaminated clothing and wash it before reuse. Barrier creams may help to protect the exposed areas of skin.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

# **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

Physical stateLiquidColourorange clearOdourOdourless.

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing point No data available

Initial boiling point and boiling range 300 °C

Flammability
Upper flammability or explosive limits
Lower flammability or explosive limits
No data available
No data available

Flash point No data available
Autoignition temperature No data available
Decomposition temperature No data available

Kinematic viscosity

Dynamic viscosity

Partition coefficient

No data available
No data available
No data available

Partition coefficient No data avail Vapour pressure

Relative density 1.81 g/mL @ 20 °C

Vapour density No data available

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

## Solubility(ies)

# Water solubility

Water solubility classification_	Water solubility_	Water Solubility Temperature_
Completely soluble	> 10000 mg/L	25 °C / 77 °F

## Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
None reported	No information available	No data available	No information available

### 9.2. Other information

9.2.1. Information with regards to physical hazard classes

Corrosive to metals

Steel Corrosion Rate ~ 2370 mm/yr / ~ 93.31 in/yr Aluminum Corrosion Rate No data available

9.2.2. Other safety characteristics

No information available

BE / AGHS Page 8 / 19

# **Section 10: STABILITY AND REACTIVITY**

10.1. Reactivity

**Reactivity** Reacts violently with water. Corrosive to metal.

10.2. Chemical stability

**Stability** Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Exposure to air or moisture over prolonged periods. To avoid thermal decomposition, do not

overheat. Temperatures above 300 °C / 572 °F.

10.5. Incompatible materials

Incompatible materials Organic material. Bases. Metals. Ammonia. Reducing agent. Nitric acid. Alkaline earth

metals.

10.6. Hazardous decomposition products

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating and toxic gases and vapours.

# **Section 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Harmful if swallowed Toxic in contact with skin Harmful if inhaled

Mixture No data available.

Substance Test data reported below.

### **Oral Exposure Route:**

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Mercury sulphate	None reported	Estimated	None reported	None reported	No information available
Sulfuric acid,	Rat	> 5000 mg/kg	None reported	None reported	No information available
disilver(1+) salt	LD <sub>50</sub>		-	-	
Potassium dichromate	Rat	90.5 mg/kg	None reported	None reported	OECD 401
	LD <sub>50</sub>		-	·	

# **Dermal Exposure Route:**

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Potassium dichromate	Rat LD <sub>50</sub>	1170 mg/kg	None reported	None reported	ERMA

BE / AGHS Page 9 / 19

### Inhalation (Dust/Mist) Exposure Route:

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Mercury sulphate	None reported	Estimated	None reported	None reported	No information available
Potassium dichromate	Rat	0.094 mg/L	4 hours	None reported	ERMA
	LC <sub>50</sub>	· ·		·	

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Mercury sulphate	None reported	Estimated from	None reported	None reported	No information available
		theoretical			
		calculation			

# Acute Toxicity Estimate (ATE) Not applicable

ATEmix (oral)	305.50 mg/kg
ATEmix (dermal)	318.70 mg/kg
ATEmix (inhalation-dust/mist)	2.85 mg/l
ATEmix (inhalation-vapour)	31.93 mg/l

# Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity.

- 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapour)
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

# Skin corrosion/irritation

Causes severe burns.

Mixture No data available.

Substance Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB
Mercury sulphate	Existing human experience	Human	None reported	None reported	Skin irritant	GESTIS
Sulfuric acid, disilver(1+) salt	Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA

### Serious eye damage/eye irritation

Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes.

Mixture No data available.

Substance Test data reported below.

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid	Existing human	Human	None reported	None reported	Corrosive to eyes	HSDB

BE / AGHS Page 10 / 19

	experience					
Mercury sulphate	Existing human	Human	None reported	None reported	Eye irritant	GESTIS
·	experience					
Sulfuric acid,	Draize Test	Rabbit	180 mg	None reported	Corrosive to eyes	ECHA
disilver(1+) salt					•	

# Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

No data available. Mixture

Substance Test data reported below.

# **Skin Sensitization Exposure Route:**

Chemical name	Test method	Species	Results	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt	in vivo Assay	Guinea pig	No sensitisation responses were observed.	ECHA

<u>STOT - single exposure</u>
Based on available data, the classification criteria are not met.

No data available. Mixture

Substance Test data reported below.

# Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Sulfuric acid	Human	0.144 mg/L	5 minutes	Lungs, Thorax, or	RTECS
	TDLo			Respiration	
				Dyspnea	

### STOT - repeated exposure

May cause damage to organs.

Mixture No data available.

Substance Test data reported below.

# **Oral Exposure Route:**

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt	Rat LD	> 2000 mg/kg	14 days	No toxicological effects observed	ECHA

# Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid	Human	0.003 mg/L	168 days	Musculoskeletal	RTECS
	TCLo			Changes in teeth and supporting	
				structures	

# **Germ cell mutagenicity**

Classification based on data available for ingredients. Contains a known or suspected mutagen.

BE / AGHS Page 11 / 19 The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic

Chemical name	European Union	
Potassium dichromate	Muta. 1B	

Mixture invitro **Data**No data available.

Substance invitro **Data** Test data reported below.

Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available
Sulfuric acid, disilver(1+) salt	Mutation in mammalian somatic cells	Human lymphocyte	.08 mg/L	3 hours	Negative	ECHA
Potassium dichromate	Micronucleus test	Human lymphocyte	0.3 mg/L	None reported	Positive test result for mutagenicity	RTECS

Mixture invivo **Data** No data available.

Substance invivo **Data** No data available.

### Carcinogenicity

Classification based on data available for ingredients.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union
Potassium dichromate	Carc. 1B

Mixture No data available.

Substance No data available.

# Reproductive toxicity

Classification based on data available for ingredients.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

Chemical name	European Union
Potassium dichromate	Repr. 1B

Mixture No data available.

Substance Test data reported below.

### **Oral Exposure Route:**

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Potassium dichromate	Mouse	1710 mg/kg	19 days	Effects on Embryo or Fetus	RTECS
	$TD_Lo$			Fetotoxicity (except death e.g.	
				stunted fetus)	
				Effects on Fertility	
				Post-implantation mortality (e.g.	
				dead and/or resorbed implants	
				per total number of implants)	
				Specific Developmental	
				Abnormalities	
				Craniofacial (including nose and	

BE / AGHS Page 12 / 19

			1
		tonque)	1
	l	londuei	1
		10119117	1

### Inhalation (Vapor) Exposure Route:

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Sulfuric acid	Rabbit TC∟₀	0.02 mg/L	7 hours	Specific Developmental Abnormalities	No information available
				Musculoskeletal system	

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

# 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors.

11.2.2. Other information

Other adverse effects No information available.

# **Section 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

**Unknown aquatic toxicity**Contains 0 % of components with unknown hazards to the aquatic environment.

<u>Mixture</u>

Acute aquatic toxicity: No data available.

Aquatic Chronic Toxicity: No data available.

**Substance** 

Acute aquatic toxicity: Test data reported below.

Fish:

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfuric acid, disilver(1+) salt	96 hours	Pimephales promelas	LC50	0.0012 mg/L	ECHA
Potassium dichromate	96 hours	Oncorhynchus mykiss	LC50	12.3 mg/L	ERMA

### Crustacea:

Chemical name	Exposure	Species	Endpoint type	Reported dose	Key literature references and
	time				sources for data
Sulfuric acid, disilver(1+) salt	48 Hours	Daphina magna	LC50	0.00022 mg/L	ECHA
Potassium dichromate	48 Hours	Daphnia magna	EC50	0.035 mg/L	ERMA

Aquatic Chronic Toxicity: No data available.

BE / AGHS Page 13 / 19

Chemical name	Exposure	Species	Endpoint type	Reported dose	Key literature references and
Sulfuric acid, disilver(1+) salt	time 7 days	Ceriodaphnia dubia	EC <sub>10</sub>	0.00248 mg/L	sources for data EPA

### 12.2. Persistence and degradability

Mixture No data available.

12.3. Bioaccumulative potential

Mixture: No data available.

Partition coefficient No data available

12.4. Mobility in soil

Soil Organic Carbon-Water Partition

No data available

Coefficient

### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Sulfuric acid	The substance is not PBT / vPvB
Sulfuric acid, disilver(1+) salt	PBT assessment does not apply
Potassium dichromate	PBT assessment does not apply

### 12.6. Endocrine disrupting properties

Endocrine Disruptor Information: This product does not contain any known or suspected endocrine disruptors

### 12.7. Other adverse effects

No information available.

Ozone: Not applicable

Ozone depletion potential (ODP): No information available

# **Section 13: DISPOSAL CONSIDERATIONS**

### 13.1. Waste treatment methods

**Advice on Disposal** 

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. Our local agencies will accept used cuvettes to ensure their

proper disposal.

### Waste disposal number (residues/unused products)

160506\* WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste.

Waste disposal number (used product)

160506\* WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous

BE / AGHS Page 14 / 19

substances, including mixtures of laboratory chemicals; hazardous waste.

**Contaminated packaging** Dispose of contents/containers in accordance with local regulations.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used.

# **Section 14: TRANSPORT INFORMATION**

### ADR

14.1 UN number or ID number 3316

14.2 UN proper shipping name CHEMICAL KIT

14.3 Transport hazard class(es) 9

14.4 Packing Group Not regulated14.5 Environmental hazards Not applicable

14.6 Special precautions for user

**Special Provisions** 251, 340, 671

Classification code M11 Tunnel restriction code (E)

### **IATA**

14.1 UN number or ID number14.2 UN proper shipping nameUN3316 Chemical kit

14.3 Transport hazard class(es) 9

14.4 Packing group Not regulated14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions None

# **IMDG**

**14.1 UN number or ID number** UN3316

14.2 UN proper shipping name CHEMICAL KIT

14.3 Transport hazard class(es) 9

14.4Packing GroupNot regulated14.5Environmental hazardsNot applicable

14.6 Special precautions for user

Special Provisions 251, 340 EmS-No F-A, S-P

14.7 Maritime transport in bulk according to IMO instruments

No information available

**Additional information** 

# **Section 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulations

### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

BE / AGHS Page 15 / 19

### Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorisation per
	Annex XVII	REACH Annex XIV
Sulfuric acid - 7664-93-9	75	
Mercury sulphate - 7783-35-9	18	
·	75	
Potassium dichromate - 7778-50-9	72	19
	28	
	29	
	30	
	75	
	47	

Persistent Organic Pollutants Not applicable

**Export Notification requirements** 

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 649/2012 - Annex Number
Mercury sulphate - 7783-35-9	1.1
	1.3
	V

# Dangerous substance category per Seveso Directive (2012/18/EU)

• E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

# Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

### Germany

Water hazard class (WGK) strongly hazardous to water (WGK 3)

### **France**

# Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Sulfuric acid	RG 5,RG 14,RG 15,RG	-
7664-93-9	15bis,RG 20bis	
	RG 14,RG 20bis,RG 65	
Mercury sulphate	RG 2	-
7783-35-9		
Potassium dichromate	RG 10,RG 10bis,RG 10ter	-
7778-50-9	RG 10	

10. Rozporządzenie Komisji (UE) 2020/878 z dnia 18 czerwca 2020 r. zmieniające załącznik II dorozporządzenia (WE) nr1907/2006 Parlamentu Europejskiego i Rady w sprawie rejestracji, oceny, udzielaniazezwoleń i stosowanych ograniczeń

BE / AGHS Page 16 / 19

wzakresie chemikaliów (REACH).

**International Inventories** 

**EINECS/ELINCS** Complies **TSCA** Complies Complies **DSL/NDSL** Complies **ENCS IECSC** Complies KECI Complies **PICCS** Complies **AICS** Complies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### 15.2. Chemical safety assessment

Chemical Safety Report Chemical safety assessments for substances in this mixture were not carried out.

# **Section 16: OTHER INFORMATION**

Issue Date 20-Jan-2005

Revision Date 28-Oct-2024

**Revision Note** updated SDS sections:

2 9

### Key or legend to abbreviations and acronyms used in the safety data sheet

# Legend

\*\* Hazard Designation

ADN Accord européen relatif au transport international des marchandises dangereuses par voies

de navigation intérieure

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate

CAS Chemical Abstracts Service Number

Ceiling Maximum limit value

CLP Classification, Labelling and Packaging of substances and mixtures [Regulation (EC) No.

1272/2008]

DNEL Derived No Effect Level (DNEL)

EC European Community

ECHA (The European Chemicals Agency)

EC50 Effective Concentration to 50% of a test population

EEC European Economic Community

EN European Standard

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

IATA-DGR International Air Transport Association - Dangerous Goods Regulations

ICAO International Civil Aviation Organization

ICAO-TI International Civil Aviation Organization - Technical Instructions

BE / AGHS Page 17 / 19

IUCLID (The International Uniform Chemical Information Database)
GHS Globally Harmonized System of Classification and Labelling of Chemicals

LOAEL Lowest observed adverse effect level

LOAEC Lowest observed adverse effect concentration LC50 Lethal Concentration to 50% of a test population

LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)
LOLI (List of Lists - An International Chemical Regulatory Database)

MAK Maximale Arbeitsplatz-Konzentration, a German expression corresponding to threshold limit

value, which relates to safe daily exposure levels to chemical substances

NOAEL No Observed Adverse Effect Level NOAEC No observed adverse effect concentration

OSHA Occupational Safety and Health Administration of the US Department of Labour

PEC Predicted Effect Concentration

PNEC Predicted No Effect Concentration (PNEC)

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals [Regulation (EC) No.

1907/2006])

RTECS (Registry of Toxic Effects of Chemical Substances)

TWA TWA (time-weighted average)

SKN\* Skin designation SKN+ Skin sensitisation

STEL STEL (Short Term Exposure Limit)
STOT Specific Target Organ Toxicity

STOT RE Specific target organ toxicity (repeated exposure)
STOT SE Specific target organ toxicity (single exposure)

SVHC Substances of Very High Concern

TLV Threshold Limit Value

TRGS Technical rules for hazardous substances, Germany

TSCA Toxic Substances Control Act

UN United Nations

vPvB very persistent and very bioaccumulative

VOC Volatile organic compounds

AwSV Administrative regulation of water polluting substances, Germany

### Key literature references and sources for data

See Section 11: TOXICOLOGICAL INFORMATION See Section 12: ECOLOGICAL INFORMATION

# Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - Vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Carcinogenicity	Calculation method
STOT - single exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration toxicity	Calculation method
Ozone	Calculation method
Corrosive to metals	Calculation method

# Full text of H-Statements referred to under section 3

H272 - May intensify fire; oxidiser

BE / AGHS Page 18 / 19

H300 - Fatal if swallowed

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H340 - May cause genetic defects

H350 - May cause cancer

H372 - Causes damage to organs through prolonged or repeated exposure

H373 - May cause damage to organs through prolonged or repeated exposure

H360FD - May damage fertility. May damage the unborn child

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H290 - May be corrosive to metals

**Training Advice** Take note of Directive 98/24/EC on the protection of the health and safety of workers from

the risks related to chemical agents at work

Prepared By Hach Product Compliance Department

**Restrictions on use** For Laboratory Use Only.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

**End of Safety Data Sheet** 

BE / AGHS Page 19 / 19